
www.planscape.co.uk

☐ FIFTY-FULL

The **Fifty-Full** reception counter is a more complete, more modular and more customizable version of the **Fifty-Fifty**, thanks to its different modules.

Equipped with high and low modules, this new, modern and functional reception counter is especially well-suited to welcome DDA wheelchair users.



Reception counter White - White





Reception counter with central DDA White - Black

Reception counter with right hand DDA Black - Timber





Reception counter with 90° corner and low reception desk on the right

White - Nebraska



Side

25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.



Top



Front panel

25 mm thick Structurex®

Leg

25 mm thick Structurex® melamine-coated panels. End DDA⁽¹⁾ unit leg and top are of the same finish.

25 mm thick Structurex® melaminecoated panels with elegant 45° mitre cut serving as reception shelf for visitors.

melamine-coated panels.

Support leg (optional) Recommended for any installation of more than 3 aligned modules

Support brackets

TECHNICAL DESCRIPTION

- 25 mm thick Structurex® melamine-coated panels. 2 mm thick shock-proof ABS edging.
- 25 mm thick Structurex® facing assembled with elegant 45° mitre cut serving as reception shelf for visitors.
- All worktops and sides are fitted with Ø 80 mm part drilled cable ports for cable management.
- Corner or intermediate modules can be added to the reception counter to adapt to changing requirements (fixing and juxtaposition by brackets and connecting plates), to ensure mobility and ergonomics of use.
- Adjustable screw feet of diameter 25 mm and range 10 mm to compensate for any unevenness in the floor.

(1) DDA = Disability Discrimination Act

CHARACTERISTICS













MFC finishes

COUNTERS







60 / 120

COUNTERS WITH CENTRAL DDA(1)


60 / 120



COUNTERS WITH RIGHT OR LEFT HAND DDA(1)




Front view (right hand DDA(1))



Top view (right hand DDA⁽¹⁾)


COUNTERS WITH 90° CORNER AND LOW RECEPTION DESK ON THE RIGHT OR ON THE LEFT





How to adapt your reception counter to your requirements starting from a pre-composed counter?














• Straight COUNTERS







		Dim. (cm)	Ref.	Front panel + side a finishes	Top + infill panel finishes
Reception counter D 77 / H 114 / L 100 cm Infill panel L 60 cm	60	L 100	DZ28	+	+
Reception counter D 77 / H 114 / L 140 cm Infill panel L 120 cm	120	L 140	DZ29	+	+
Reception counter D 77 / H 114 / L 200 cm Infill panel L 120 cm	120	L 200	DM56	+	+
Reception counter D 77 / H 114 / L 280 cm Infill panel L 120 cm	120	L 280	DM58	+	+











1 COUNTERS with right or left hand DDA⁽¹⁾





			RIGHT HAND DDA ⁽¹⁾					LEFT HAND DDA ⁽¹⁾
		Ref.	Front panel + a side finishes	Leg + top + infill panel finishes		Ref.	Front panel + side finishes	Leg + top + infill panel finishes
Reception counter D 107,5 / H 114 L 202,5 cm Infill panel L 60 cm	60 202,5	DM64	+	+		DM66	+	+
Reception counter D 107,5 / H 114 L 242,5 cm Infill panel L 120 cm	120	DM68	+	+		DM70	+	+

▶ Options		Dim. (cm)		Ref.	Finish
Single metal cable tray		D 13 / H 12 / Internal	H 4 cm / L 60	AF051K	Aluminium
		ALUMINIUM	О WHITE	•	BLACK
	Dim. (cm)	Ref.	Ref.		Ref.
Cable port	Ø 80 mm To fit into Ø 80 mm part drilled	AY061K	AY0675	^	Y065G

cable port on tops and sides.

Set of 2

AX061K



(1) DDA = Disability Discrimination Act

covers

AX067S

AX065G











1 COUNTERS with low central reception desk









		Dim. (cm)	Ref.	a Front panel + side finishes	6 Top + infill panel finishes	
Reception counter D 77 / H 114 / L 300 cm 2 infill panels L 60 cm	300	L 300	DZ30	+	+	
Reception counter D 77 / H 114 / L 380 cm 2 infill panels L 120 cm	120	L 380	DZ31	+	+ []	

1 COUNTERS with central DDA⁽¹⁾





		Dim. (cm)	Ref.	Front panel + side finishes	(b) Top + infill panel finishes
Reception counter D 107,5 / H 114 / L 300 cm 2 infill panels L 60 cm	60 300	L 300	DM60	+	+
Reception counter D 107,5 / H 114 / L 380 cm 2 infill panels L 120 cm	120 380	L 380	DM62	+	+












1 COUNTERS with 90° corner and low reception desk on the right or on the left






on the right of on	tile leit			7	_			-	~
•			RIGHT	HAND RETURN			LEFT	HAND RETURN	
		Ref.	ront panel + side finishes	Top + infill panel finishes		Ref.	Front panel + side a finishes	Top + infill panel finishes	
Reception counter D 200 / H 114 L 300 cm Infill panel L 120 cm	120	DZ32	+	+		DZ33	+	+	
Reception counter D 240 / H 114 L 380 cm Infill panel L 120 cm	720.	DZ34	+	+		DZ35	+	+	
COUNTERS with	90° corner				_				

1 COUNTERS with 90° corne and high reception desk on the right or on the left





on the right or on the left		
NEW	RIGHT HAND RETURN	LEFT HAND RETURN
	Ref. Front panel + side Top + infill panel a finishes b finishes	Ref. Front panel + side Top + infill panel a finishes b finishes
Reception counter D 200 / H 114 L 300 cm Infill panel L 120 cm and L 60 cm	ED87 + L	ED88 + L + L
Reception counter D 240 / H 114 L 380 cm 2 Infill panels L 120 cm	ED89 + L + L	ED90 + +














MFC finishes

1 U-SHAPED COUNTERS with 90° corner and low reception desk on the right and on the left






		Ref.	a Front panel + side finishes	b Top + infill panel finishes	
Reception counter D 200 / H 114 L 400 cm Infill panel L 120 cm	120 - 120 -	DZ86	+	+	
Reception counter D 240 / H 114 L 480 cm Infill panel L 120 cm	120	DZ87	+	+	

1 U-SHAPED COUNTERS with 90° corner and high reception desk on the right and on the left





NEW			_	-	-
		Ref.	Front panel + side finishes	b Top + infill panel finishes	
Reception counter D 200 / H 114 L 400 cm 1 Infill panel L 120 cm and 2 infill panels L60 cm	120	ED91	+	+	
Reception counter D 240 / H 114 L 480 cm 3 Infill panels L 120 cm	120	ED92	+	+	







2 Intermediate EXTENSIONS

		Dim. (cm)	Ref.	Front panel finish	Top finish
High intermediate units D 72,5 / H 109 cm Must be placed as an intermediary unit	Rear view Front view	Extension L 100 Extension L 140	DM72 DM73	+	+
Intermediate DDA ⁽¹⁾ unit D 107,5 / H 109 cm Must be placed as an intermediary unit	Rear view Front view	L 100	DM74	+	+
Low intermediate units D 72,5 / H 74 cm Must be placed as an intermediary unit	Rear view Front view	L 100 L 140	DZ36 DZ37	+	+
Low intermediate unit with 90° corner D 100 / H 74 cm Internal D 82 cm Must be placed as an intermediary unit	Front view	L 100	DZ38	+	+









2 End **EXTENSIONS**

RIGHT HAND RETURN LEFT HAND RETURN Front panel Top Front panel Top Dim. (cm) Ref. Ref. finish finish finish finish Low return units L 100 DZ39 DZ41 DZ42 D 72,5 / H 74 cm L 140 DZ40 Rear view Front view Rear view Front view High return units L 100 DM78 DM76 D 72,5 / H 109 cm DM79 L 140 DM77 Rear view Front view Rear view Front view

		Dim. (cm)	Ref.	Front panel finish	Top finish	
End DDA ⁽¹⁾ unit D 107,5 / H 109 cm Must be placed at the end of reception counter, right or left hand	Rear view Front view	L 102,5	DM75	+	+	







3 INFILL PANELS

	Dim. (cm)	Ref.	Infill panel finish	
Infill panels D 20,2 / H 47 cm	L 60	BY253	+	
To be placed on an intermediate high module or return module	L 120	BY273	+	

► Options		ALUMINIUM	WHITE	BLACK	
Options	Dim. (cm)	Ref.	Ref.	Ref.	
Cable port covers	Ø 80 mm To fit into Ø 80 mm part drilled cable port. Set of 2	AX061K	AX067S	AX065G	
Single metal cable tray	D 13 / H 12 / Internal H 4 / L 60 To be fixed to back panel	AF051K	_	_	
Square support leg* *Recommended for any installation of more than 3 aligned modules	50 x 50 For H 74 unit	DN011K	DN017S	DN015G	
Metal screen support For maximum 20 inch screen	D 18 / H 22,5 / L 24	_	_	BY295G	



